UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/584,748	04/16/2007	Nigel Richardson	042933/313264	7726
826 ALSTON & BI	7590 07/20/201 RD LLP	EXAMINER		
BANK OF AM	ERICA PLAZA	DANIELS, ANTHONY J		
	RYON STREET, SUITE 4000 NC 28280-4000		ART UNIT	PAPER NUMBER
,			2622	
			MAIL DATE	DELIVERY MODE
			07/20/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)	
	10/584,748	RICHARDSON ET AL.	
Office Action Summary	Examiner	Art Unit	
	ANTHONY J. DANIELS	2622	
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet with the	correspondence address	
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mai earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 1.136(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS froute, cause the application to become ABANDON	ON. timely filed om the mailing date of this communication. NED (35 U.S.C. § 133).	
Status			
1) ■ Responsive to communication(s) filed on 24 2a) ■ This action is FINAL. 2b) ■ The 3) ■ Since this application is in condition for allow closed in accordance with the practice under	nis action is non-final. /ance except for formal matters, p		
Disposition of Claims			
4) ☐ Claim(s) 1-18 and 20-22 is/are pending in the 4a) Of the above claim(s) is/are withdom 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-18 and 20-22 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and Application Papers	rawn from consideration.		
9) The specification is objected to by the Examination The drawing(s) filed on is/are: a) and a continuous applicant may not request that any objection to the Replacement drawing sheet(s) including the correct and The oath or declaration is objected to by the left.	ccepted or b) objected to by the ne drawing(s) be held in abeyance. Section is required if the drawing(s) is contact.	See 37 CFR 1.85(a). Objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in Applica iority documents have been recei eau (PCT Rule 17.2(a)).	ation No ved in this National Stage	
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summa		
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail 5) Notice of Informa 6) Other:		

Application/Control Number: 10/584,748 Page 2

Art Unit: 2622

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 5/24/2010 has been entered.

2. Applicant's amendments to claim 9 and claims 14 and 21 have overcome the examiner's rejection under 35 U.S.C. 112, 2nd paragraph and the examiner's objections, respectively.

Response to Arguments

Applicant's arguments with respect to independent claim 1 and the Knighton et al. reference have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later

Application/Control Number: 10/584,748

Art Unit: 2622

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Page 3

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1-6,8-11,12,14-18 and 20-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Knighton et al. (US # 7,359,003) in view of Anderson et al. (US # 6,636,259) and further in view of Bronson (US # 6,384,863).

As to claim 1, Knighton et al. teaches a mobile communication station (Figure 1 and Figure 9; Col. 5, Lines 22-55; {The examiner submits that the processor "900" of Figure 9 of Knighton et al. communicates with other components of the device; therefore, making the apparatus of Knighton et al. a mobile communication station.}) including a camera (Figure 9, ISA "908") and having a body (Figure 1, lens housing "118", display assembly "104", grip "102" and breech "130" together are the housing) having a longest dimension along a first axis (Figure 6A), the body comprising two portions (Figure 1, display assembly (first portion) "104" and grip and breech (second portion) "102" and "103") which are mechanically coupled to each other by a linkage (Figure 1, lens housing "118") that permits rotation of one of the portions (Figure 4 display assembly "104") relative to the other (Figures 6A and 6C) about an axis (Figure 1 and Figure 7, axis of rotation of the display assembly "706") and prevents rotation of each portion relative to the other about other axes (Figures 6A-6D; {See attached marked up copy of Figure 1 submitted on 12/4/2009 regarding the claimed "other axes".}), one of said

portions having a grip for being gripped by a user during use of the communication station (Figure 1, grip and breech "102" and "130"), the grip having a first compact configuration (Figure 6C) and a second configuration in which the grip is expanded relative to the first configuration (Figure 6D) to improve the grip of the user on the communication station when the grip is in the second expanded configuration (Col. 2, Lines 15-17 and Lines 25 and 26). The claim differs from Knighton et al. in that it requires that the mobile communication station communicates with other devices (1). The claim further differs from Knighton et al. in that it requires that the linkage permits rotation of one of the portions relative to the other about an axis substantially parallel to said first axis (2).

In the same field of endeavor, Anderson et al. teaches a digital camera that has a built in cellular phone for communicating with another device (1) (Col. 4, Lines 47-54). In light of the teaching of Anderson et al., it would have been obvious to one of ordinary skill in the art to include the cellular phone in the device of Knighton et al., because this would allow the user to transmit images without having to upload them first to a PC.

Further in the same field of endeavor, Bronson teaches an ergonomically designed digital camera (Figures 1a and 1b) having two portions including a lens assembly (Figure 1b, lens assembly "200") having an image sensing device (Col. 3, Lines 62-65, "...image array...") and grip portion (Figure 1b, hand grip "100"). The portions are coupled to each other through the use of a telescoping and rotating device (Figure 1b, telescoping and rotating device "160") allowing one of the portions to rotate relative to each other about an axis that is substantially parallel to an axis representing the longest dimension of the lens assembly and grip (Col. 2, Lines 40-42; Col. 3, Lines 21-33). In light of the teaching of Bronson, it would have been obvious to one of

ordinary skill in the art to include the ability to rotate the grip and breech portion of the assembly relative to the lens housing (and consequently, relative to the display assembly) of Knighton et al. in the manner suggested in Bronson, because this would provide an added orientation which may serve more comfortable than the two orientations disclosed in Knighton et al.

As to claim 2, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1, wherein the communication station has other of said portions is a body portion (see Knighton et al., Figure 1, lens housing "118") to which the grip is attached and with respect to which the grip is movable (see Knighton et al., Figures 6C and 6D).

As to claim 3, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 2, wherein the body portion houses operational components of the communication station (see Knighton et al., Figure 1, lens "106").

As to claim 4, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 3, wherein the body portion includes the camera (see Knighton et al., Figure 8a, ISA "830").

As to claim 5, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 3, wherein user input and/or output components of the communication station are exposed on the surface of the body portion (see Knighton et al., Figure 1, lens "118").

As to claim **6**, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 2, wherein the grip is rotatable relative to the body portion (see Knighton et al., Figures 6C and 6D).

As to claim **8**, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 4, wherein the grip is rotatable relative to the body portion about an axis substantially perpendicular to the direction in which the camera points, so as to project from the body portion (see Knighton et al., Figures 6C and 6D).

As to claim **9**, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 8, wherein in at least one rotational position the grip extends continuously from the body in the direction of the axis of rotation of the grip (see Knighton et al., Figures 6C and 6D).

As to claim 10, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 2, wherein the grip is slidable relative to the body portion (see Knighton et al., Figure 6D).

As to claim 11, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1, wherein the grip has a core portion (see Knighton et al., Figure 1, breech "130") and at least one outer wall (see Knighton et al., Figure 1, outer wall of grip "102") movable away from the core portion (see Knighton et al., Figures 6C and 6D), and wherein in moving from the first compact configuration to the second expanded configuration the or each wall is moved away from the core portion (see Knighton et al., Figures 6C and 6D).

As to claim **12**, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1, wherein the mobile communication station is capable of operating as a mobile telephone (see Anderson et al., Col. 4, Lines 47-54).

As to claim 14, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1, wherein user input and/or output components of the communication station are exposed on the surface of the grip (see Knighton et al., Figure 2, pointer button "208").

As to claim 15, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 14, wherein the grip portion is movable relative to the direction in which the camera points so as to be capable of adopting a position in which the user input and/or output components of the communication station are exposed on the surface of the grip face in substantially the opposite direction to that in which the camera points (see Knighton et al., Figures 2, 6C and 6D).

As to claim **16**, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1, wherein changing the configuration of the grip from the first compact configuration to the second expanded configuration makes available an additional user interface for controlling the operation of the mobile communication station (see Knighton et al., Col. 3, Lines 56-65).

As to claim 17, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1, wherein the grip houses operational components of the mobile communication station (see Knighton et al., Col. 2, Lines 26-28).

As to claim 18, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 17, wherein the grip is electrically connected to the main body of the mobile communication station (see Knighton et al., Col. 2, Lines 26-28 and Col. 3, Lines 44-48).

As to claim **20**, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1, wherein one of the portions includes a camera (see Knighton et al., Figure 8a, ISA "830" of lens housing "118").

As to claim 21, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1, wherein the other of the portions includes a display (see Knighton et al., Figure 8a, display elements "206").

As to claim 22, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 1. Although it is not stated explicitly in Knighton et al., as modified by Anderson et al. and Bronson,, the examiner takes Official Notice that concept of compressing an image (i.e. editing) before being stored on a memory card is well known and expected in the art. One of ordinary skill in the art would have been motivated to include the function of compressing images before storage on the memory card in Knighton et al. (Figure 7, memory card "702"), because this would allow a user to maximize the amount of images stored on the memory card by minimizing space.

It is noted by the examiner that because applicant has failed to timely traverse the old and well known statement above, it is now taken as admitted prior art. See MPEP 2144.03 (c).

2. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Knighton et al. (US # 7,359,003) in view of Anderson et al. (US # 6,636,259) in view of Bronson (US # 6,384,863) and further in view of Isahi (US # 5,719,799).

As to claim 7, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 4. The claim differs from Knighton et al., as

modified by Anderson et al. and Bronson, in that it further requires that the grip be rotatable relative to the body portion about an axis substantially parallel to the direction in which the camera points, so as to project from the body portion.

In the same field of endeavor, Isahi teaches a portable information processing apparatus (Figure 1A) including a hinge member housing a lens system and a CCD (Col. 15, Lines 37-40). A gripping portion (Figure 1A, keyboard "4a") and LCD unit (Figure 1A, LCD unit "2") are coupled together via the hinge member such that gripping portion can be rotated about an axis substantially parallel to the direction in which the lens system and CCD point (Figures 8A-8D). In light of the teaching of Isahi, it would have been obvious to one of ordinary skill in the art to include the ability to rotate the grip and breech about the optical axis of the lens housing in Knighton et al., because this would provide an added orientation which may serve more comfortable than the two orientations disclosed in Knighton et al.

3. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Knighton et al. (US # 7,359,003) in view of Anderson et al. (US # 6,636,259) in view of Bronson (US # 6,384,863) and further in view of Knighton et al. (US # 7,359,003) – different embodiment.

As to claim 13, Knighton et al., as modified by Anderson et al. and Bronson, teaches a mobile communication station as claimed in claim 12. The claim differs from Knighton et al., as modified by Anderson et al. and Bronson, in that it further requires that the mobile communication station is capable of sensing relative motion of at least a part of the grip portion and another part of the mobile communication station, and in response switching from a first operating mode to a second operating mode.

Application/Control Number: 10/584,748 Page 10

Art Unit: 2622

In a different embodiment, Knighton et al. discloses a visor that may be closed and reopened in order to transition from an inactive state to an active state (Col. 6, Lines 37-42). In light of the teaching of Knighton et al., it would have been obvious to one of ordinary skill in the art to include the ability in Knighton et al.'s first embodiment to activate the display of the display assembly by cycling the grip from the stowed to deployed orientation, because this would allow the device to know when to operate in thactive state as well as saving power when no event has occurred (see Knighton et al., Col. 6, Lines 37-42).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANTHONY J. DANIELS whose telephone number is (571)272-7362. The examiner can normally be reached on 8:00 A.M. - 5:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sinh Tran can be reached on (571) 272-7564. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/584,748 Page 11

Art Unit: 2622

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Anthony J Daniels/ Examiner, Art Unit 2622

7/17/2010